EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	93742	((multiple or network or cluster$5 or plural$4) near3 ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 11:49
S2	14681	S1 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 11:56
S4	20335	S1 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 11:59

		outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))				
S6	47063	S1 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 12:00
S9	3576	S6 and ((select$5 or choos$5 or narrow$5 or candidate or find$5 or search$5) near4 ((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps) with (provid$5 or submit$5 or receiv$5 or input$5 or enter$5 or typ$5 or specif$7 or designat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 12:04

S10	114	S9 and ((receiv$5 or transfer$5 or transmi $7) same (candidate) same ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 12:08
S11	90	S9 and ((obtain$7 or send$5 or receiv$5 or transfer$5 or transmi $7) same (candidate) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 12:09
S13	60	S11 and ((print$5 or output$5 or develop$5 or reproduc$5 or record $5 or photo or photograph$5) near5 (job or request$5 or order$3)) same ((select $5 or choos$5 or chosen or designat$5) near3 ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 12:10

S14	1	"7441003".pn. and terminal near4 (limit$5 or select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:31
S15	2	"7441003".pn. and terminal near4 (search $5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:33
S16	0	"7441003".pn. and ((generat$5 or creat$5 or produc$5) near5 attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:35
S17	1	"7441003".pn. and (attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:35
S18	0	"7441003".pn. and ((generat$5 or creat$5 or produc$5) near5 (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:40
S19	2	"7441003".pn. and ((generat$5 or creat$5 or produc$5 or send$5 or transmi$7) near5 (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:41
S20	1	"7441003".pn. and ((generat$5 or creat$5 or produc$5 or send$5 or transmi$7) near5 (email or mail or e-mail)) same setting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:41
S21	1	"7441003".pn. and pdl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:43
S22	2	"7441003".pn. and ((information) near5 (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:47

| S23 | 42 | ("20010017712" \| "20020002592" \| "20020013870" \| "20020026479" \| "20020032652" \| "20020049870" \| "20020055924" \| "20020063693" \| "20020078160" \| "20030097430" \| "20040246517" \| "20050219607" \| "5832191" \| "5832208" \| "5920404" \| "6023700" \| "6157706" \| "6160631" \| "6167449" \| "6223226" \| "6306252" \| "6307643" \| "6421716" \| "6452689" \| "6453692" \| "6470332" \| "6487189" \| "6512593" \| "6519048" \| "6522421" \| "6542892" \| "6581092" \| "6581094" \| "6587219" \| "6618749" \| "6622266" \| "6785015" \| "6806977" \| "6980319" \| "7010635" \| "7028102" \| "7076255").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/02 14:50 |
| S24 | 36 | S23 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/02 14:52 |

S25	11	S24 and ((select$5 or choos$5 or narrow$5 or candidate or find$5 or search$5) near4 ((((photo or photograph$5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps) with (provid$5 or submit$5 or receiv$5 or input$5 or enter$5 or typ$5 or specif$7 or designat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:53
S26	5	S25 and ((receiv$5 or transfer$5 or transmi $7) same (candidate) same ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:54
S27	2	"20020063887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 14:58
S28	2	"6822754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 15:00
S29	1	"7441003".pn. and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 15:04

S30	0	"045158".ap. and pdl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 15:08
S31	1	"045158".ap. and language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/02 15:08
S32	93802	((multiple or network or cluster$5 or plural$4) near3 ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04
S33	47103	S32 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04
S34	3580	S33 and ((select$5 or choos$5 or narrow$5 or candidate or find$5 or search$5) near4 ((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04

		gps) with (provid$5 or submit$5 or receiv$5 or input$5 or enter$5 or typ$5 or specif$7 or designat$5))					
S35	90	S34 and ((obtain$7 or send$5 or receiv$5 or transfer$5 or transmi $7) same (candidate) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04
S36	60	S35 and ((print$5 or output$5 or develop$5 or reproduc$5 or record $5 or photo or photograph$5) near5 (job or request$5 or order$3)) same ((select $5 or choos$5 or chosen or designat$5) near3 ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04
S37	48	S36 and ((terminal or pc or computer or user or application) same ((generat$5 or creat$5 or output$5 or produc $5) with (print$3 near4 (data or command))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:04

S38	3	S37 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:08
S39	5	S36 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:08
S40	6	S35 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:10
S41	7	S34 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:11
S42	25	S33 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:11
S43	7	S37 and ((print$3 near4 (condition or setting)) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:18
S44	1	"7042585".pn. and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:26

S45	1	"7042585".pn. and (location or proxim$9 or closest or closer or "near" or nearest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:26
S46	0	"7441003".pn. and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:29
S47	1	"7441003".pn. and pdl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:30
S48	0	"7441003".pn. and pdl near4 terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:30
S49	1	"7441003".pn. and pdl same terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:30
S50	42	("20010017712" | "20020002592" | "20020013870" | "20020026479" | "20020032652" | "20020049870" | "20020055924" | "20020063693" | "20020078160" | "20030097430" | "20040246517" | "20050219607" | "5832191" | "5832208" | "5920404" | "6023700" | "6157706" | "6160631" | "6167449" | "6223226" | "6306252" | "6307643" | "6421716" | "6452689" | "6453692" | "6470332" | "6487189" | "6512593" | "6519048" | "6522421" | "6542892" | "6581092" | "6581094" | "6587219" | "6618749" | "6622266" | "6785015" | "6806977" | "6980319" | "7010635" | "7028102"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/03 12:06

		| "7076255").PN.				
S51	0	S50 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:07
S52	0	("7441003").URPN.	USPAT	OR	ON	2009/03/03 12:17
S53	4	"716415".ap.	USPAT	OR	ON	2009/03/03 12:17
S54	1	"11312065"	USPAT	OR	ON	2009/03/03 12:18
S55	0	"11-312065"	USPAT	OR	ON	2009/03/03 12:18
S56	0	11-312065	USPAT	OR	ON	2009/03/03 12:19
S57	2	"7028102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 12:21
S58	213	("5287194").URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:15
S59	0	S58 and ((print$3 near4 (data or command)) with (condition or setting) same candidate same (judg$7 or select$5 or narrow$5 or limit$5 or choos$5 or find$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:16
S60	26	S58 and ((print$3 near4 (data or command)) with (condition or setting) same (judg$7 or select $5 or narrow$5 or limit $5 or choos$5 or find $5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:16

S61	23	S58 and ((print$3 near4 (data or command)) with (condition or setting) same ((judg$7 or select $5 or narrow$5 or limit $5 or choos$5 or find $5) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:17
S62	12	S61 and (((location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office)) same ((judg$7 or select $5 or narrow$5 or limit $5 or choos$5 or find $5) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:18
S63	8634	((user or operator) same (pc or computer or terminal) same (print $5 with application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:36

S64	17	S63 and (((pc or computer or terminal) with (receiv$5 or obtain$5 or acquir$7) with (information) near4 (printer or printing or printshop or shop)) same (plural$5 adj4 (printer or printing or printshop or shop)) same (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:39
S65	20	S63 and (((pc or computer or terminal) with (receiv$5 or obtain$5 or acquir$7) with (information) near4 (printer or printing or printshop or shop)) same (plural$5 adj4 (printer or printing or printshop or shop)) same2 (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:39
S66	20	S63 and (((pc or computer or terminal) with (receiv$5 or obtain$5 or acquir$7) with (capability or information or configuration or structure) near4 (printer or printing or printshop or shop)) same (plural$5 adj4 (printer or printing or printshop or shop)) same2 (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:41

S67	14	S66 and ((pc or computer or terminal) same ((generat$5 or produc$5 or creat$5 or output$5) with (print$5 near3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:44
S68	4	S67 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((select$5 or choos$5 or designat$5 or narrow $5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:48
S69	96	((((pc or computer or terminal) with (receiv$5 or obtain$5 or acquir $7) with (capability or information or configuration or structure) near4 (printer or printing or printshop or shop)) same (plural $5 adj4 (printer or printing or printshop or shop)) same2 (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:50
S70	52	S69 and ((pc or computer or terminal) same ((generat$5 or produc$5 or creat$5 or output$5) with (print$5 near3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:00

S71	12	S70 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:00
S72	13	S70 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((search$5 or find$5 or select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:01
S73	8	S72 and ((user or operator or customer) with (select$5 or choos$5 or designat$5) with (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:01
S74	14	S69 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((search$5 or find$5 or select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:06

		configuration or structure) near4 (printer or printing or printshop or shop))				
S75	9	S74 and ((user or operator or customer) with (select$5 or choos$5 or designat$5) with (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:07
S76	98	((((pc or computer or terminal or pda or mobile or cellphone) with (receiv$5 or obtain$5 or acquir$7) with (capability or information or configuration or structure) near4 (printer or printing or printshop or shop)) same (plural$5 adj4 (printer or printing or printshop or shop)) same2 (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:10
S77	887	((((pc or computer or terminal or pda or mobile or cellphone) with (receiv$5 or obtain$5 or acquir$7) with (capability or information or configuration or structure) near4 (printer or printing or printshop or shop)) and (plural$5 adj4 (printer or printing or printshop or shop)) and (print$5 near4 (server or manager or management or scheduler or scheduling)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:11

S78	152	S77 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((search$5 or find$5 or select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:12
S79	563	S77 and (((pc or computer or terminal or pda or mobile or cellphone)) same ((generat$5 or produc $5 or creat$5 or output $5) with (print$5 near3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:13
S80	138	S79 and ((print$5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((search$5 or find$5 or select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:14

S81	67	S79 and (pc or computer or terminal or pda or mobile or cellphone) same ((print $5 near3 data) with (condition or setting or language or color or monochrom$5)) same ((search$5 or find$5 or select$5 or choos$5 or designat$5 or narrow$5 or limit$5) with (printer or printing or printshop or shop)) same ((capability or information or configuration or structure) near4 (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:14
S82	56	S81 and ((user or operator or customer) with (select$5 or choos $5 or designat$5) with (printer or printing or printshop or shop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:15
S83	0	"7441003".pn. and color with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:53
S84	1	"7441003".pn. and \setting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:53
S85	1	"7441003".pn. and setting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:53
S86	0	"7441003".pn. and print $3 adj2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:53
S87	1	"7441003".pn. and print $3 adj5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:53
S88	0	"7441003".pn. and (type or model) same color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:54

S89	1	"7441003".pn. and (type or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:54
S90	1	"7441003".pn. and (object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:55
S91	1	"6822754".pn. and (temporary adj3 request) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:57
S92	1	"6822754".pn. and (temporary adj3 request) same (address or location or position$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:58
S93	1	"6822754".pn. and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:45
S94	1	"6822754".pn. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:48
S95	1	"6822754".pn. and user same (print adj3 data adj3 generat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:48
S96	0	"6822754".pn. and user with set$5 with (color or number or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:51
S97	1	"6822754".pn. and user same (color or number or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:51
S98	1	"6822754".pn. and user with specif$8 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:53
S99	1	"6822754".pn. and print adj2 content with temporary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:10
S100	0	"6822754".pn. and analy$8 with temporary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:23

S101	0	"6822754".pn. and judg$8 with temporary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:23
S102	1	"6822754".pn. and determin$8 with temporary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:23
S103	93802	((multiple or network or cluster$5 or plural$4) near3 ((((photo or photograph$5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:40
S104	47103	S103 and ((input$5 or enter$5 or typ$5 or specif$7 or designat$5 or provid$5) with (location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or gps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:40
S105	3580	S104 and ((select$5 or choos$5 or narrow$5 or candidate or find$5 or search$5) near4 ((((photo or photograph$5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((location or address or region or (zipcode or (zip adj2 code)) or area or city or street or (room) or building or office or position$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:40

		gps) with (provid$5 or submit$5 or receiv$5 or input$5 or enter$5 or typ$5 or specif$7 or designat$5))				
S106	90	S105 and ((obtain$7 or send$5 or receiv$5 or transfer$5 or transmi $7) same (candidate) with ((((photo or photograph$5 or print $5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:40
S107	3	S106 and ((candidate) with (plural$5 adj4 (job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:47
S108	3	S106 and ((candidate) same (plural$5 adj4 (job or request or order $5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:48
S109	7	S105 and ((candidate) with (plural$5 adj4 (job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:48
S110	40	S105 and (((select$5 or choos$5 or narrow $5 or candidate or find $5 or search$5) near4 ((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) with (plural $5 adj4 (job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:50

S111	44	S105 and ((((select$5 or choos$5 or chosen or designat$5) near4 (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) with (plural $5 adj4 (job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:51
S112	27	((select$5 or choos$5 or chosen or designat $5 or search$5) near4 (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((submit$5 or transmi $7 or send$5) near5 (plural$5 adj4 (job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:57
S113	88	((select$5 or choos$5 or chosen or designat $5 or search$5) near4 (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((submit$5 or transmi $7 or send$5 or provid $5) near5 (plural$5 adj4 print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 18:05

S114	74	((select$5 or choos$5 or chosen or designat $5 or search$5) near4 (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((submit$5 or transmi $7 or send$5) near5 (plural$5 adj4 print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 18:05
S115	0	((candidate) near4 (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((submit$5 or transmi $7 or send$5) near5 (plural$5 adj4 print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 18:13
S116	2	((candidate) same (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((submit$5 or transmi $7 or send$5) near5 (plural$5 adj4 print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 18:13

S117	34	((candidate) same (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) same ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 18:13
S118	25	((candidate) with (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) and ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) with candidate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 09:30
S119	32	((candidate) with (((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) and ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) same candidate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 09:32

S120	26	((candidate) with ((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) and ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 09:46
S127	10	((candidate) with ((((photo or photograph $5 or print$5) adj3 (provid$3 or shop or kiosk or outlet))) or (copier or (copying adj2 (machine or device or apparatus)) or printer or printing or (image adj2 (reproduc$5 or record$5))))) and ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) near4 (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:01
S128	1	(plural$5 adj4 (printshop or (print$5 adj3 shop) or print $3shop)) same ((plural $5 adj4 print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:19
S129	1	(plural$5 adj4 (printshop or (print$5 adj3 shop) or print $3shop)) same2 ((plural $5 adj4 print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:19

S130	4	((printshop or (print$5 adj3 shop) or print $3shop)) same2 ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:20
S131	2	(plural$5 adj4 (printshop or (print$5 adj3 shop) or print $3shop)) and ((plural$5 adj4 print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:21
S132	22	(plural$5 adj4 (printshop or (print$5 adj3 shop) or print $3shop)) and ((print$5 adj4 (data or job or request or order$5)) with (different or unique))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:22
S133	5	S132 and (plural$5 adj4 (print$5 adj4 (data or job or request or order$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 10:24
S134	2	"7441003".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 11:13

3/4/09 4:14:01 PM
C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10045158.030209.wsp